1. For an electron of 3GeV energy circulating in a storage ring with bending radius of 8 meters, its energy loss per turn due to synchrotron oscillation is

$$U_0 = \frac{e^2 \beta^3 \gamma^4}{3\varepsilon_0 \rho} = 0.8896 MeV.$$

The critical angular frequency of the radiation is

$$\omega_c = \frac{3}{2} \gamma^3 \frac{c}{\rho} = 1.133 \times 10^{19} \, rad \, / \, s \, ,$$

and hence the critical energy of the photons is

$$E_c = \hbar \omega_c = 7.467 KeV$$
.

The synchrotron radiation power due to 500 mA of electron current is

$$P_{w} = U_{0} \frac{\Delta N_{e}}{\Delta T} = U_{0} \frac{I_{e}}{e} = 444.8 KW$$
.

The spectral density of synchrotron radiation energy from a single electron is (slide #22 of lecture 17)

$$\frac{d^2 I}{d\omega d\Omega}\bigg|_{\theta=0,\omega=\omega_c} = \frac{1}{4\pi\varepsilon_0} \frac{3e^2\gamma^2}{4\pi^2 c} K_{2/3}^2 \left(\frac{1}{2}\right) = 1.822 \times 10^{-11} eV \cdot s \ .$$

The relative spectral density of photon flux due to 500 mA is given by

$$\frac{d^2 F}{(d\omega/\omega) d\Omega}\bigg|_{\theta=0,\omega=\omega_c} = \frac{d^2 I}{(d\omega/\omega) d\Omega}\bigg|_{\theta=0,\omega=\omega_c} \cdot \frac{\Delta N_e}{\Delta T} = \frac{1}{\hbar\omega_c} \cdot \omega_c \frac{d^2 I}{d\omega d\Omega}\bigg|_{\theta=0,\omega=\omega_c} \cdot \frac{I_e}{e} = 8.639 \times 10^{22} \, s^{-1} \, .$$

We assume that the cross-section of the radiation is equal to that of the electron beam. For a Gaussian profile, we should take the area as

$$A_e = \left(\sqrt{2\pi}\sigma_x\right)\left(\sqrt{2\pi}\sigma_y\right) = 2\pi\sqrt{\varepsilon_x\beta_x}\cdot\sqrt{\varepsilon_y\beta_y} = 7.695 \times 10^{-10}m^2 .$$

Thus the spectral brightness is given by

$$B = \frac{1}{A} \frac{d^2 F}{(d\omega/\omega) d\Omega} \bigg|_{\theta=0,\omega=\omega_c} = 1.123 \times 10^{32} m^{-2} s^{-1} = 1.123 \times 10^{17} \frac{1}{s \cdot mm^2 \cdot mrad^2 (0.1\% BW)} .$$

(You can also use the practical formula from slide #14 of Lecture 18 to get the answer.)

2. (a) The undulator period can be derived from the undulator equation with  $\theta = 0$ :

$$\lambda = \frac{\lambda_u}{2\gamma^2} \left( 1 + \frac{K^2}{2} \right)$$
$$\Rightarrow \lambda_u = \lambda \frac{2\gamma^2}{1 + \frac{K^2}{2}} = 2.3cm$$

(b) The power radiated into the central cone is (slide #29, Lecture 18)

$$P_{cen} = \frac{\pi e \gamma^2 I_e}{\varepsilon_0 \lambda_u} \frac{K^2}{\left(1 + \frac{K^2}{2}\right)^2} f(K) = 15.671W ,$$
  
where  $f(K) = \left[J_0\left(\frac{K^2}{4\left(1 + \frac{K^2}{2}\right)}\right) - J_1\left(\frac{K^2}{4\left(1 + \frac{K^2}{2}\right)}\right)\right]^2$ . The photon flux is then  
 $F_{cen} = \frac{P_{cen}}{\hbar \omega_0} = 3.944 \times 10^{16} s^{-1} ,$ 

with  $\omega_0 = 2\pi c / \lambda = 3.767 \times 10^{18} rad / s$ . The spectral brightness is given by (slide #34 in Lecture 18)

$$B_{cen} = \frac{F_{cen}}{\Delta A \cdot \Delta \Omega \cdot N^{-1}} = \frac{F_{cen}}{2\pi\sigma_x \sigma_y \pi \theta_{Tx} \theta_{Ty} N^{-1}} = 1.766 \times 10^{35} m^{-2} s^{-1} = 1.766 \times 10^{20} \frac{1}{s \cdot mm^2 mrad^2 (0.1\% BW)}$$

with 
$$\theta_{Tx} = \sqrt{\theta_{cen}^2 + \sigma_{x'}^2} = 38.61 \mu rad$$
,  $\theta_{Ty} = \sqrt{\theta_{cen}^2 + \sigma_{x'}^2} = 33.15 \mu rad$ ,  $\theta_{cen} = \frac{1}{\gamma^* \sqrt{N}} = 33.03 \mu rad$ ,  
 $\gamma^* = \frac{\gamma}{\sqrt{1 + K^2/2}}$ ,  $\sigma_{x'} = \sqrt{\varepsilon_x/\beta_x} = 20 \mu rad$ ,  $\sigma_{y'} = \sqrt{\varepsilon_y/\beta_y} = 2.83 \mu rad$ ,  $\sigma_x = \sqrt{\varepsilon_x \beta_x} = 50 \mu m$ ,  
and  $\sigma_y = \sqrt{\varepsilon_y \beta_y} = 7.07 \mu m$ . One can also use the practical formula in slide #34 of Lecture 18 to get the answer.