

PROPOSED PROJECTS

1 Introduction

2 ◇ First and foremost:

3 It is certainly not forbidden to propose a project of your own!

4 It can for instance be in relation with activities you might have in the framework of your home institution, or
5 in the framework of a Master or PhD cursus.

6 Tell about your idea(s), we will discuss it, make sure it fits in the general learning context and level of achieve-
7 ment. Once this is settled... there you go.

8 Some indications about the project :

9 ◇ The project will be concluded, by the end of PHY684, with two documents:

10 - a set of slides for a 10 minute presentation to the class

11 - a written report, in a “laboratory technical note” style write-up, up to 10 pages

12
13 ◇ The initial phase of the project will be a bibliographical research. It is expected that 25% of the work time will
14 concern the bibliography. Which will include

15 - the origins and present context (depending on the topic, it can concern a particular accelerator technology,
16 and/or its applications, and/or the laboratory which houses/develops it, etc.), foreseen future

17 - a technical review: overview of the theory and technology, parameter lists, detailed descriptions, etc.

18
19 ◇ Following that, for most of the proposed topics the task will essentially consist in working out accelerator and
20 beam simulations, program and other computing tools developments ...

21 About the bibliography :

22 In some cases a document is indicated as a possible starting point for the bibliography.

In any case, a good source for starting your bibliographical research is the accelerator conference web site

www.jacow.org

23 It offers in particular a powerful search engine, accepting authors names, pieces of text, etc.

24 **1 Stored ion polarization at eRHIC**

25 Study proton and helion beam polarization in eRHIC e-A collider hadron ring.

26 Plans for this project:

27 - document the electron-ion collider project eRHIC, its hadron ring derived from RHIC and using Siberian
28 snakes [1]: history, characteristics, parameter lists.

29 - simulate acceleration of polarized proton and 3He beams through the strong snake depolarizing resonances
30 in RHIC, using its present 4 Siberian snakes, and with two more added.

31 - produce comparisons, optimizations.

32

33

34 [1] Starting points can be:

35 - H. Huang et al., Polarized proton beam for eRHIC, TUPWI049, Proceedings of IPAC2015, Richmond, VA,
36 USA,

37 - M. Bai et al., Simulation studies of accelerating polarized light ions at RHIC and AGS, Proceedings of 2011
38 Particle Accelerator Conference, New York, NY, USA THP102.

39 **2 Microtron**

40 Simulate the fourth stage (the highest in energy) of MAMI, the Mayence microtron [1].

41 Plans for this project:

42 - document MAMI: history of the microtron cascade, characteristics, parameter lists. And their use.

43 - simulate the fourth stage: produce the nominal optics, optical functions, first order beam properties, beam
44 envelopes, etc.

45 - produce bunch tracking simulations (transverse and longitudinal phase spaces, etc.)

46

47

48 [1] A starting point can be:

49 H.-J. Kreidel, M. Dehn, Computer models to optimize the setting of the MAMI double sided microtron, THP056,

50 Proceedings of ICALEPCS2009, Kobe, Japan [1ex] <https://search.cern.ch/Pages/results.aspx?k+=domain>

51 **3 A 270 degree magnetic spectrometer**

52 Simulate particle transport in an 270 degree magnetic spectrometer.

53 Plans for this project:

54 - document magnetic mass spectrometry [1] and the 270 degree spectrometer: history including the use in
55 plasma acceleratiion and in space experiments, characteristics, parameter lists. And their use over the years.

56 - produce tracking simulations through a 270 degree “alpha” spectrometer: transverse and longitudinal phase
57 spaces, optical and momentum aberrations, 6D transport and resoluition, etc.

58

59

60 [1] A starting point can be:

61

62 **4 Spin dynamics**

63 Produce spin dynamics simulations in the vicinity of, or across, depolarizing spin resonance.

64 Plans for this project:

65 - document the acceleration and storage of spin polarized particle beams: history, from SATURNE and the
66 ZGS to today's state-of-the art, future. Theory, technologies.

67 - simulate spin dynamics in the vicinity of, or across resonances, in a ring, confront outcomes to theory.

68

69

70 [1] A starting point can be:

71

72 **5 Edge radiation at the SPS**

73 The SPS has plans to resurrect an old synchrotron radiation diagnostics technique: the visible light edge radiation.

74 Plans for this project:

75 - document the “edge radiation” at the SPS: history, characteristics, parameter list. And its use.

76 - Simulate the 1979 experiment, produce spectral-angular light distribution (Refs. [1,2] can be used as a
77 guidance)

78

79

80 [1] R. Coisson, (1979)

81

82 [2] J. Bosser et al., Characteristics of the radiation emitted by protons and antiprotons in an accelerator

83 **6 Proton-therapy**

84 Proton-therapy is in use in many dedicated cancer treatment centers over the world. It is based on the ballistic of
85 the Bragg peak, and uses proton beams in the range 70-230 MeV. These beams are produced using synchrotron,
86 synchrocyclotron, or cyclotron accelerators.

87 Plans for this project:

88 - document hadrontherapy: history, method, current status.

89 - Choose a protontherapy accelerator in operation, and simulate it, accelerate from start to end, including beam
90 extraction towards the patient.

91

92

93 [1] A starting point can be:

94

7 Drift tube linac

95
96 Simulate a drift tube linac. Choose a simple, classical DTL, in use today.

97 Plans for this project:

98 - document the DTL type of linac: history, characteristics, parameter lists, state-of-the-art.

99 - Based on your bibliography, select a DTL in use. Produce its parameter list, optics, optical functions, beam
100 parameters, beam envelopes, etc.

101 - produce start-to-end bunch tracking simulations (transverse and longitudinal phase spaces, etc.)
102

103
104 [1] A starting points can be:

105 J. Le Duff, Dynamics and acceleration in linear structures, "CAS - CERN Accelerator School : 5th General Accel-
106 erator Physics Course", Yellow-Report CERN-94-01, <http://cds.cern.ch/search?cc=CERN+Yellow+Reports&p=>

107 **8 Betatron**

108 Install a betatron in Zgoubi.

109 Plans for this project:

110 - document the betatron accelerator [1]: history, theory, characteristics. And its use.

111 - Write a program that simulates the magnetic and induction electric fields in the useful 3D region in the gap
112 of a betatron circular accelerator. Install it in zgoubi

113 - validate by appropriate numerical simulations, modeling an existing (past or present) betatron.

114 - produce start-to-end bunch tracking simulations (transverse and longitudinal phase spaces, etc.)

115

116

117 [1] A starting point can be:

118

9 Slow extraction at the CERN SPS

The 400 GeV proton beam at the SPS is slow-extracted towards experimental areas (the “North Hall”), using a third integer resonance technique. This is an on-going program, including theoretical studies and experiments [1], aimed at reducing beam losses at extraction.

Plans for this project:

- document the SPS: history, theory, characteristics. And its use.

- document the technique of slow extraction. And the goals of the ongoing studies at the SPS. Using the SPS computer code model, produce the nominal optics: optical functions, first order beam properties, beam envelopes, etc.

- simulate the slow extraction process, provide the 6D phase space of the extracted beam spill.

[1] F.M. Velotti et al., Characterization of the SPS slow-extraction parameters, THPOR055, Proceedings of IPAC2016, Busan, Korea.